February-14-13 1:11:11 PM Item ID: D3943-051 Accept Setup Start *NS1* *N900040100* Revision ID: Item Name: Handle Assembly Start Qty: 1.00 **Start Date:** 2/08/13 **Cust Item ID:** Required Date: 2/25/13 **Req'd Qty:** 1.00 **Customer:** Reference: Run Process Plan: ML5 Date: 13-02-15 Tooling: Approvals: Date: QC: Date: SPC (Y/N): Date: Sequence ID/ Operation Set:Up/ Tool ID Tool # Plan Accept Reject Reject Work Center ID Description **Run Hours** Qty Oty Number Stamp Code Draw Nbr **Revision Nbr** D3943 Weld per dwg A/R Steel rod Batch: 176048 0.00 100 5 2 13-11-18 *100* Large Fab Will handle Assembly with handle as per dwg and assemble Large Fab 110 QC5- Inspect part completeness to step on W/O 0.00 (5) 13-11-13 9 *110* QC. 0.00 Memo Quality Control 120 QC9- Inspect visual per QSI004- Fusion Welds 0.00 DAS 13-11-18 0.00 Memo Quality Control

												DQA:	Da	ite:	
NCR: Y	'es	/ No				WORK ORDER NON-C	100	NFORN	MANCE / UP	DATE		QA Closed:	D-	ite:	
							_		- Alle	· · · · · · · · · · · · · · · · · · ·		QA Closed:	Ud	ne.	
Work Orde						DISPOSITION AGAINST DEPARTMENT/PR									
WOIK OIGE	-			· · · · · ·		Rework		Skid-tube	Crosstub	- ا		Water Jet		Engineering	
Part N	io					Scrap			Machining	Small Fa	<u> </u>	Pro	d. Eng. Coor.	\vdash	Quality
, are r	•••					Use-as-is			oforming	Finishin		l .	re/Packaging	-	Other
NCR N	lo.					Work Order Update	1 1	l	Large Fab	Composit			Supplier	$\overline{}$	
	-						•								
Root		•			Descri	ption of work order update	I	Initial	Ac	tion		Sign &			
Cause		Date	Step	Qty	(or Non-conformance	Ch	ief Eng	Desc	ription		Date	Verification	n	QC Inspector
Doc/Data														ŀ	
Equip/Tooling							İ]		j	
Operator			İ												
Material															
Setup															
Other	Щ														
Process	\dashv														
Supplier	Н						1								
Training Unapproved	Н														
Onapproved	<u> </u>		<u>1</u>	<u>1</u>	<u></u>	F	AUI	LT CATE	GORY			<u> </u>			
Landi	ng (ear				General				**					
	٦	Bending	•			Bend	Г	Grain				Ovalized			Pressure/Forced
,		Centre Not Concentric to O/S Cracks			o/s	BOM/Route		Hardwa	re			Over/Under	tolerance		Temperature/Cure
						Broken/Damaged		Inspecti	on Incomplete			Part Incorre	ct		Weld
		Crushed/Crimped				Burrs		Instruct	ions Incomplete/	Unclear		Part Lost/M	issing		Wrong Stock Pulled
:		Cuffs				Contamination		Mainte	nance			Part Moved			
		Heat Tre	at			Countersink		Mislabe	eled			Positioned Wrong			
		Inspectio	n Strip in	Tube		Cut Too Short		Misread	d .		L	Power Loss/	'Surge		Other
		Ripples ir	n Bend			Drill Holes		Offset							
	Torque Waves in Extrusion					Drawing		Out of	Calibration						

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Finish

Folio

February-14-13 1:11:11 PM Item ID: D3943-051 Accept *N900040100* Setup Start **Revision ID:** Handle Assembly Item Name: Start Date: 2/08/13 Start Oty: 1.00 **Cust Item ID:** Required Date: 2/25/13 Req'd Qty: 1.00 **Customer:** Réference: Run Process Plan: Date: Tooling: Approvals: Date: QC: Date: SPC (Y/N): Date: Sequence ID/ Operation Set Up/ Tool ID Reject Tool # Plan Accept Reject Insp. Work Center ID Description **Run Hours** Code Qty Qty Number Stamp Hybrid safety Yellow 4.3.5.12 130 0.00 M 116579 5 d 13-11-20 *130* DAS Powdercoat 0.00 34 Powder Coating 1- MASK THREADS PRIOR TO PAINTING AS PER DWG 9-89 Finish Time $_{0.00}~\mathrm{DAS}$ QC3- Inspect Part Finish 140 Memo Quality Control

150

Packaging Packaging

Identify as per dwg & Stock Location:

Memo

109015

5 a 13.11-21

DQA: Date: **WORK ORDER NON-CONFORMANCE / UPDATE** NCR: Yes / No QA Closed: Date: **AGAINST DEPARTMENT/PROCESS** DISPOSITION Work Order: Water Jet Engineering Skid-tube Crosstubel Rework Prod. Eng. Coor. Quality Machining Small Fab Scrap Part No. Other Rec/Store/Packaging Thermoforming Finishing Use-as-is Composite Supplier Large Fab NCR No. Work Order Update Description of work order update Initial Action Sign & Root Verification QC Inspector Chief Eng Description Date Date Step Qty or Non-conformance Cause Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved **FAULT CATEGORY Landing Gear** General Ovalized Pressure/Forced Bend Grain Bending Temperature/Cure Over/Under tolerance BOM/Route Hardware Centre Not Concentric to O/S Weld Broken/Damaged Inspection Incomplete Part Incorrect Cracks Wrong Stock Pulled Part Lost/Missing Instructions Incomplete/Unclear Crushed/Crimped Burrs Maintenance Part Moved Contamination Cuffs Countersink Mislabeled Positioned Wrong Heat Treat Power Loss/Surge Other Misread Inspection Strip in Tube Cut Too Short Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Ripples in Bend

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drill Holes

Drawing

Finish Folio

Work Order ID 97228 February-14-13 1:11:11 PM

Item ID:

D3943-051

Accept

N900040100

Setup Start

Revision ID:

Handle Assembly Item Name:

Required Date: 2/25/13

Start Date:

2/08/13

Start Qty: 1.00 **Req'd Qty:** 1.00

Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan: Date: Tooling:

Date:

Run

QC: Date:

SPC (Y/N):

Date:

Sequence ID/ Work Center ID

Operation Description

QC21- Final Inspection - Work Order Release

Set Up/ **Run Hours** Tool ID

Tool # Plan Qty Code

Accept Reject

Reject Insp. Number Stamp

160

160

Memo

0.00

0.00

Quality Control

11/13-11-22 NB-11-22

DQA: Date: **WORK ORDER NON-CONFORMANCE / UPDATE** NCR: Yes / No QA Closed: Date: **AGAINST DEPARTMENT/PROCESS** DISPOSITION Work Order: _____ Engineering Skid-tube Crosstube Water Jet Rework Machining Small Fab Prod. Eng. Coor. Quality Scrap Part No. Rec/Store/Packaging Thermoforming Finishing Other Use-as-is Supplier Large Fab Composite Work Order Update NCR No. Description of work order update Action Sign & Initial Root **Chief Eng** Description Date Verification QC Inspector Qty or Non-conformance Date Step Cause Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved **FAULT CATEGORY Landing Gear** General Ovalized Pressure/Forced Bend Grain Bending BOM/Route Over/Under tolerance Temperature/Cure Hardware Centre Not Concentric to O/S Broken/Damaged Inspection Incomplete Part Incorrect Weld Cracks Wrong Stock Pulled Instructions Incomplete/Unclear Part Lost/Missing Crushed/Crimped Burrs Part Moved Maintenance Cuffs Contamination

Mislabeled

Out of Calibration

Out of Sequence

Outside Dimensions

Misread Offset

Countersink

Cut Too Short

Drill Holes

Drawing

Finish

Folio

Positioned Wrong

Power Loss/Surge

Other

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Heat Treat

Inspection Strip in Tube

Torque Waves in Extrusion

Work Order ID:

97228

Parent Item:

D3943-051

Parent Item Name:

Handle Assembly

Start Date: 2/08/13

Required Date: 2/25/13

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP RevA: add DEO DD 09.11.18 verified by:JLM 10.02.22 verified by:EC IPP REV:C 11.08.16

IPP Rev:B as per dwg REV.C DD IPP REV:C 11.08.16 AS PER REV.E DD VERE:ILM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3943-5		Manufactured	No			100	Each	13.0000	1	n 1	13-/1-	K	
Plate				<u>Location</u>		Loc Qty	<u>Lo</u>	oc Code					
	101.	575 xs	_	ST075 858	90	13 1							
				918 932		6 6							
D3943-7 Stud		Manufactured	No			100	Each	27.0000	2	PZ 2	13-11	-18/	

Location	Loc Qty	Loc Code
WA001	23	·
52980	1	
85854	10	
91819	12	
WA002	4	
69044	4	



											DQA:	Date:			
NCR:	⁄es	/ No		WORK ORDER NON-CONFORMANCE / UPDATE								Date	:		
Work Order:						DISPOSITION				AGAINST DEPARTMENT/PROCESS					
					· · · · · · ·	Rework	1 l		Skid-tube	Crosstube	1	Water Jet	Engineering		
Part f	Nο					Scrap	1	i i	Machining	Small Fab	Pro	d. Eng. Coor.	Quality		
1 4111						Use-as-is		noforming	Finishing	Rec/Sto	re/Packaging	Other			
NCR I	No.		<u></u>			Work Order Update]		Large Fab	Composite]	Supplier			
Root	-				Descri	ption of work order update		nitial	Ac	Action					
Cause		Date	Step	Qty	,	or Non-conformance	Ch	ief Eng	Desc	ription	Date	Verification	QC Inspector		
Doc/Data															
Equip/Tooling															
Operator															
Material	Ш						1								
Setup															
Other	Ш											,			
Process	Ш						ļ								
Supplier	_		ŀ		1										
Training			ļ												
Unapproved			<u> </u>		<u> </u>						<u> L</u>				
		<u> </u>					AUI	LT CATE	GORY						
Land	ing (1			_	General		1		_	٠, ،	г	7,5,,,,,,,,		
	_	Bending			_	Bend	\vdash	Grain		<u> </u>	Ovalized		Pressure/Forced		
	┕	Centre N	ot Conce	ntric to	O/S	BOM/Route	\vdash	Hardwa		_	Over/Under	<u> </u>	Temperature/Cure		
		Cracks				Broken/Damaged	-	- 1	ion Incomplete		Part Incorre	<u> </u>	Weld		
		Crushed/	'Crimped		<u></u>	Burrs	\vdash	Instructions Incomplete/Unclear			Part Lost/Missing		Wrong Stock Pulled		
	<u>_</u>	Cuffs				Contamination	_	Mainte			Part Moved				
		Heat Tre	at		<u> </u>	Countersink	\perp	Mislabe		<u> </u>	Positioned \		٦		
1	Unspection Strip in Tube Cut Too Shor				Cut Too Short	Misread				Power Loss	/Surge	Other			

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Drill Holes

Drawing

Finish Folio

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Torque Waves in Extrusion

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

_					'	3	. 4	
	ITEM No.	QTY -041	QTY -051	QTY -053	PART NUMBER	DESCRIPTION	PREFERED SUPPLIER	Π
	1	X			D3943-041	GROUND HANDLING CRANK ASSEMBLY		1
	5	1	Х		D3943-051	HANDLE ASSEMBLY		1
	6	1		Х	D3943-053	CHAIN ASSEMBLY		1
								1
D	11		1		D3943-1	HANDLE	M/F HANDLE FROM DIS-ASSEMBLED ITEM 39	1.
	12	1			D3943-3	HANDLE EXTENSION]/ <u>}</u>
	13		1		D3943-5	PLATE		1/
	14		2		D3943-7	STUD		1
	15			_ 1	D3943-9	CHAIN	USE CHAIN SUPPLIED WITH ITEM 39	1
	16			1	D4405-1	EYE AND FORK SWIVEL		1
	24]
	21	1			D2690-4	LANYARD]
	22	1			D3585-1	SET SCREW]
	23	1			D3949-041	REMOVE BEFORE FLIGHT FLAG		1
	24			1	D3954-5	CHAIN LUG		1
	25	1			D3954-7	RATCHET LUG		1
С	26			1	D3954-9	GWT CHAIN PIN		1
	31	1			AN5-11A	BOLT		┨
	32	1			AN960-516	WASHER	<u> </u>	1
	33	1			MS21042L5	NUT		┨
								1
	39	1			8143919	LEVER CHAIN HOIST (POWER FIST)	PRINCESS AUTO / 4000 lbs CAPACITY	1
								1
	51	1			S-1475	SPRING	REID SUPPLY	1
	52	1			3408A59	BALL PLUNGER	McMASTER CARR	1
	53	1			HX-15	SOCKET HEAD CAP SCREW 4-20 UNC X 0.75 LG	HASKINS	1
	54	1			HX-16	SOCKET HEAD CAP SCREW 4-20 UNC X 1.0 LG	HASKINS	1

SH(4)FSGP is a UNCO: 501 SUBJECT $\nabla_{t}^{(r)} = t^{r}$. 97228 MLJ 13-02-15

E	NONE	" (A7-5); TAP D	IAT'L TO SS (B8-5); FINISH NOW PRILL FOR 1/4-20 UNF-2B WAS I1-5). PER PAR11-113.	MB	11.07.27] [
D	SHT 1 PL, ITEMS 51-54 RENUMBERED SEE PREV. REV. FOR DETAILS, ITEM 16 ADDED (VIEWS UPDATED). SHT 2 ZN D3 FLAG RELOCATED. SHT 3 ZONE D3. 4JS 11.05.16 00.12 HOLE DELETED. (SEE NCR 11-495)										
С	-1/-3 (A	B-3/-4/-	041 (ZN 5), ADD 13-1, C3	СР	10.01.26	L					
В	AN960- 0.75 LC	416, IT 3. SHEE	M 31 W EM 33 V TS 2 - 6 S NOW	AJS	09.10.15						
Α	NEW IS	SSUE			AJS	09.05.13	١				
REV.			0	ESCRIPTION	BY	DATE	1				
DESIGN		DSTO	V/AJS	DART AEROSP	ACE	l					
DRAWN				HAWKESBURY, ONTARI		<i> </i>					
CHECKED		A	25,	DRAWING NO.	REV. E						
MFG. AF	PR.	2	4//	D3943	D3943 SHEET 1 OF 5						
APPROV	ÆD.	W	Y	TITLE		SCALE					
				00000 11/2/0/ /2 20/1/ 00/	00000 11 - 01 - 01 - 01 - 01 - 01 - 01						

GROSS WEIGHT TOW CRANK ASSY DATE 11.07.27 COPYRIGHT © 2009 BY DART AEROSPACE LTD
THIS DOCUMENT O MINATE AND COMPRENTIL AND IS SUPPLIED ON THE COPYRISE CONDITION
HOT TO BE USED FOR ANY PARMOSE ON COPYED OR COMMUNICATED TO MAY OTHER PERSON
WOTTHE PROPESSION FROM A







